

Please check the examination details below before entering your candidate information

Candidate surname

Other names

Pearson Edexcel
International
Advanced Level

Centre Number

--	--	--	--	--

Candidate Number

--	--	--	--	--

Monday 20 January 2020

Afternoon (Time: 1 hour 30 minutes)

Paper Reference **WST01/01****Mathematics****International Advanced Subsidiary/Advanced Level**
Statistics S1**You must have:**

Mathematical Formulae and Statistical Tables (Blue), calculator

Total Marks

Candidates may use any calculator permitted by Pearson regulations. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B).
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided
– *there may be more space than you need.*
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- Values from the statistical tables should be quoted in full. If a calculator is used instead of the tables, the value should be given to an equivalent degree of accuracy.
- Inexact answers should be given to three significant figures unless otherwise stated.

Information

- A booklet 'Mathematical Formulae and Statistical Tables' is provided.
- There are 6 questions in this question paper. The total mark for this paper is 75.
- The marks for **each** question are shown in brackets
– *use this as a guide as to how much time to spend on each question.*

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.
- If you change your mind about an answer, cross it out and put your new answer and any working underneath.

Turn over ►**P60578A**

©2020 Pearson Education Ltd.

1/1/1/1/1/

**Pearson**

1. The discrete random variable X has the following probability distribution

x	-2	-1	1	3	4
$P(X=x)$	0.15	a	b	c	0.15

where a , b and c are probabilities.

The mean value of X is 1 and $F(1) = 0.63$

Find the value of a , the value of b and the value of c .

(5)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Question 1 continued

Lined area for writing the answer to Question 1.

(Total 5 marks)

Q1

Box for marking the question.



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

2. A group of 40 families was asked whether their family had a dog, a cat or a rabbit as pets.

No family had a dog and a rabbit
 2 families had both a dog and a cat
 12 families had a dog
 14 families had a cat
 11 families had a rabbit
 9 families did not have any of these animals as pets

A family from this group is selected at random.

D represents the event that the family has a dog
 C represents the event that the family has a cat
 R represents the event that the family has a rabbit

- (a) Draw a Venn diagram to illustrate this information. (4)
- (b) State, giving a reason, a pair of mutually exclusive events from D , C and R . (1)
- (c) Find the probability that the family has exactly 2 of these kinds of animals as pets. (1)
- (d) Showing your working clearly, determine whether or not the events D and C are independent. (2)
- Sarah's family is in the group and her family has a pet cat.
- (e) Find the probability that Sarah's family also has a pet rabbit. (2)
- (f) Find the exact value of $P([D \cup R] | C')$ (2)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Question 2 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Leave
blank

Question 2 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Question 2 continued

Lined area for writing the answer to Question 2.

(Total 12 marks)

Q2



DO NOT WRITE IN THIS AREA


DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

3. *Soapern* sells washing machines. When a customer buys a washing machine from *Soapern*, the customer is also invited to buy a guarantee policy to cover breakdowns and repairs for the next three years.

The manager of *Soapern* believes that the relationship between the number of washing machines sold (m) and the number of guarantee policies sold (p) can be modelled by a straight line.

She collected data each month for 10 months. The scatter diagram below illustrates these data.



The data are summarised by the following statistics.

$$\sum m = 1124 \quad \sum p = 281 \quad \sum mp = 32\,958 \quad S_{mm} = 6046.4 \quad S_{pp} = 382.9$$

- (a) Show that $S_{mp} = 1373.6$ (1)
- (b) Find the value of the product moment correlation coefficient for these data. (2)
- (c) State, giving a reason, whether or not the data are consistent with the manager's belief. (1)

The manager noticed that the total number of washing machines sold was k times the total number of guarantee policies sold and suggests a model of the form $p = \frac{1}{k}m$, where k is an integer.

- (d) Find the value of k . (2)

(e) Find the equation of the linear regression of p on m , giving your answer in the form $p = a + bm$, where a and b should be given to 3 significant figures.

(f) Use Jiang's model to estimate the number of guarantee policies sold when 70 washing machines are sold in a month.

Usually about 70 washing machines are sold in January. *Soapern* decides to offer a bonus to staff during January based on the number of guarantee policies sold. If the number of guarantee policies sold is greater than the number estimated by the model, the bonus will be paid.

(g) State, giving your reasons, whether you would recommend that the staff use the manager's model or Jiang's model.



Leave
blank

Question 3 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Leave
blank

Question 3 continued

Handwriting practice area with 30 horizontal lines.

(Total 13 marks)

Q3



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

4. A researcher is studying the birth weights of babies. A random sample of 98 babies was taken and their birth weights, w kg, are summarised in the table below.

Birth weight (w kg)	Frequency (f)	Birth weight midpoint (x)
$1.50 \leq w < 2.50$	16	2.00
$2.50 \leq w < 3.00$	24	2.75
$3.00 \leq w < 3.50$	32	3.25
$3.50 \leq w < 4.00$	14	3.75
$4.00 \leq w < 5.50$	12	4.75

(You may use $\sum fx = 311.5$ and $\sum fx^2 = 1051.125$)

A histogram is drawn to represent these data.

The bar representing the birth weight $1.50 \leq w < 2.50$ has a width of 1 cm and a height of 4 cm.

- (a) Calculate the width and height of the bar representing birth weight $3.50 \leq w < 4.00$ (3)

- (b) Use linear interpolation to estimate the lower quartile of the birth weights of the 98 babies. (2)

The researcher estimated the median to be 3.14 kg and the upper quartile to be 3.55 kg.

- (c) Use the median and quartiles to describe the skewness of these data. (2)

- (d) Find an estimate for (i) the mean birth weight
(ii) the standard deviation of the birth weights. (3)

- (e) Use the formula

$$\text{skewness} = \frac{3(\text{mean} - \text{median})}{\text{standard deviation}}$$

to estimate a value for the skewness of these data. Give your answer to 2 significant figures. (2)


The researcher read that birth weights should be approximately normally distributed and decides to split the class $3.00 \leq w < 3.50$

The frequency for $3.00 \leq w < 3.25$ is 9 and the frequency for $3.25 \leq w < 3.50$ is 23

- (f) (i) State, giving a reason, what the effect would be on the estimate of the median.
(ii) Without carrying out any further calculations state, giving a reason, what the effect of this change would be on the estimate of the mean. (2)



Question 4 continued



Leave
blank

Question 4 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Leave
blank

Question 4 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(Total 14 marks)

Q4



5. The random variable X has a normal distribution with mean 10 and standard deviation 6

(a) Find $P(X < 7)$ (3)

(b) Find the value of k such that

$$P(10 - k < X < 10 + k) = 0.60$$
(3)

A single observation x , of X , is to be taken.

A rectangle is drawn on a centimetre grid with vertices having coordinates $(0, 0)$, $(x, 0)$, $(x, x - 3)$ and $(0, x - 3)$

(c) Find the probability that the area of this rectangle is more than 40 cm^2 (8)


DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Question 5 continued



Leave
blank

Question 5 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Question 5 continued

Handwriting practice area with 30 horizontal lines.

(Total 14 marks)

Q5



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

6. A tennis tournament has 5 rounds. After each round, winners go into the next round and losers are knocked out of the tournament. To enter the tournament players must pay an entry fee of \$10 but only the person who wins all 5 rounds receives the prize of \$260

Serena enters this tennis tournament. The random variable S represents the total number of rounds Serena wins. The probability distribution for S is given in the following table.

s	0	1	2	3	4	5
$P(S = s)$	k	$\frac{k}{2}$	$\frac{k}{3}$	$\frac{k}{4}$	$\frac{k}{5}$	$\frac{k}{6}$

- (a) Show that $k = \frac{20}{49}$ (2)

- (b) Find $E(S)$ (3)

- (c) Find Serena's expected profit if she enters the tennis tournament. (3)

Roger also enters this tennis tournament. Given that Roger is still in the tournament, the probability that he wins the next round is a constant p .

The random variable R represents the total number of rounds that Roger wins.

- (d) Explain why $P(R = 2) = p^2(1 - p)$ (2)

- (e) Find, in terms of p , the probability distribution for R . (3)

- (f) Find the smallest value of p such that Roger's expected profit is at least as great as Serena's. (4)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Question 6 continued

21

Turn over ►



Leave
blank

Question 6 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Question 6 continued

Turn over ►



Leave
blank

Question 6 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Q6

(Total 17 marks)

END

TOTAL FOR PAPER: 75 MARKS